

In the Claims

The status of claims in the case is as follows:

- 1 1. [Currently amended] A method for displaying in a
2 computer user interface information to a browser user,
3 comprising the steps of:
- 4 displaying in said interface a frame border including a
5 plurality of sides, each said side selectable for
6 presentation of textual and graphical data, said
7 textual and graphical data selectively displaying to
8 said user information identifying said border as a
9 frame border which can be positioned, sized, and opened
10 by said user selectively clicking on and dragging said
11 border; and
- 12 selectively incorporating textual and/or and graphical
13 data within any of said sides of said frame border
14 selectively identifying which of adjacent frames
15 responds to user selection of said frame border
16 selectively to open and close said frame.

LOT920010026US1

3

S/N 10/045,918

1 2. [Currently amended] The method of claim 1, said
2 textual ~~and/or~~ and graphical data displaying to said user at
3 said browser information with respect to the content of said
4 border.

1 3. [Canceled]

1 4. [Original] The method of claim 2, said data providing
2 a hotspot for selection by said user to open said frame.

1 5. [Original] The method of claim 4, said hotspot further
2 being selectable by said user to launch an application
3 within said frame.

1 6. [Currently amended] The method of claim 3, further
2 comprising the step responsive to said user selectively
3 clicking on textual and graphic data in any side of said
4 border of bringing said frame to the forefront.

1 7. [Currently amended] The method of claim 1, further
2 comprising the step of:

3 providing to a user at design time a frame properties
4 information box for user definition of frame content in

LOT920010026US1

4

S/N 10/045,918

5 any side of frame having a plurality of sides.

1 8. [Currently amended] The method of claim 7, further
2 comprising the step of:

3 providing in said frame properties information box for
4 user selection of caption formula ~~and/or~~ and
5 selectively of text, show parameters, caption
6 alignment, justification, font, size, style, text color
7 and background color for display in any side of said
8 frame.

1 9. [Original] The method of claim 8, further comprising
2 the step of:

3 responsive to user selection of Notes only border
4 captions, displaying to said user a caption edit box
5 for entry of caption text.

1 10. [Original] The method of claim 1, further comprising
2 the step of:

3 responsive to creation of a web enabled frame border,
4 disabling border captioning.

LOT920010026US1

5

S/N 10/045,918

1 11. [Currently amended] System for displaying information
2 to a user at a computer user interface, comprising:

3 a frame border in a browser display at said computer
4 user interface for indicating the presence of a frame
5 with content; said frame including a plurality of
6 sides, each said side selectable for presentation of
7 textual and graphical data, said textual and graphical
8 data selectively displaying to said user information
9 identifying said border as a frame border which can be
10 positioned, sized, and opened by said user selectively
11 clicking on and dragging said border; and

12 textual and/or and graphical data selectively presented
13 within any side of said frame border; said textual and
14 graphical data selectively identifying which of
15 adjacent frames responds to user selection of said
16 frame border selectively to open and close said frame.

1 12. [Currently amended] The system of claim 11, said
2 textual and/or and graphical data displaying to said user
3 information with respect to the content of said border.

LOT920010026US1

6

S/N 10/045,918

1 13. [Currently amended] The system of claim 11, said
2 textual ~~and/or~~ and graphical data displaying to said user
3 information identifying said border as a frame border which
4 can be positioned, sized, and opened by said user clicking
5 on said border.

1 14. [Original] The system of claim 12, said data providing
2 a hotspot for selection by said user to open said frame.

1 15. [Original] The system of claim 14, said hotspot
2 further being selectable by said user to launch an
3 application within said frame.

1 16. [Original] The system of claim 13, said hotspot being
2 responsive to said user clicking on said border of bringing
3 said frame to the forefront.

1 17. [Original] The system of claim 11, further comprising:

2 a frame properties information box for user definition
3 of frame content at frame design.

1 18. [Original] The system of claim 17, further comprising:

LOT920010026US1

7

S/N 10/045,918

2 said frame properties information box further providing
3 for user selection of caption formula, show parameters,
4 caption alignment, justification, font, size, style,
5 text color and background color.

1 19. [Original] The system of claim 18, further comprising:

2 responsive to user selection of Notes only border
3 captions, a caption edit box for entry of caption text.

1 20. [Original] The system of claim 11, further comprising:

2 control responsive to creation of a web enabled frame
3 border for disabling border captioning.

1 21. [Currently amended] A program storage device readable
2 by a machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for
4 displaying information to a user at an user interface of a
5 computer, said method steps comprising:

6 displaying in said user interface a frame border
7 including a plurality of sides, each said side
8 selectable for presentation of textual and graphical

LOT920010026US1

8

S/N 10/045,918

9 data, said textual and graphical data selectively
10 displaying to said user information identifying said
11 border as a frame border which can be positioned,
12 sized, and opened by said user selectively clicking on
13 and dragging said border; and

14 selectively incorporating textual and/or and graphical
15 data within any said side of said frame border.

1 22. [Currently amended] The program storage device of
2 claim 21, said textual ~~and/or~~ and graphical data displaying
3 to said user information with respect to the content of said
4 border selectively including identifying which of adjacent
5 frames responds to user selection of said frame border
6 selectively to open and close said frame.

1 23. [Currently amended] The program storage device of
2 claim 21, said textual ~~and/or~~ and graphical data displaying
3 to said user in any side of said frame border information
4 identifying said border as a frame border which can be
5 positioned, sized, and opened by said user clicking on said
6 border.

1 24. [Original] The program storage device of claim 22,

LOT920010026US1

9

S/N 10/045,918

2 said data providing a hotspot for selection by said user to
3 open said frame.

1 25. [Original] The program storage device of claim 24,
2 said hotspot further being selectable by said user to launch
3 an application within said frame.

1 26. [Original] The program storage device of claim 23,
2 said method steps further comprising the step responsive to
3 said user clicking on said border of bringing said frame to
4 the forefront.

1 27. [Currently amended] The program storage device of
2 claim 21, said method steps further comprising the step of:

3 providing to a user at design time a frame properties
4 information box for user definition of frame content of
5 each side of said frame.

1 28. [Currently amended] The program storage device of
2 claim 27, said method steps further comprising the step of:

3 providing in said frame properties information box for
4 user selection of caption formula, show parameters,

LOT920010026US1

10

S/N 10/045,918

5 caption alignment, justification, font, size, style,
6 text color and background color selectively and
7 independently for each side of said frame.

1 29. [Original] The program storage device of claim 28,
2 said method steps further comprising the step of:

3 responsive to user selection of Notes only border
4 captions, displaying to said user a caption edit box
5 for entry of caption text.

1 30. [Original] The program storage device of claim 21,
2 said method steps further comprising the step of:

3 responsive to creation of a web enabled frame border,
4 disabling border captioning.

1 31. [Currently amended] A computer program product ~~or~~
2 ~~computer program element~~ for displaying information to a
3 user ~~according to method steps~~ comprising:

4 a computer readable medium;

5 first program instructions for displaying a frame

LOT920010026US1

11

S/N 10/045,918

6 border including a plurality of sides, each said side
7 selectable for presentation of textual and graphical
8 data, said textual and graphical data selectively
9 displaying to said user information identifying said
10 border as a frame border which can be positioned,
11 sized, and opened by said user selectively clicking on
12 and dragging said border; and

13 second program instructions for selectively
14 incorporating textual and/or and graphical data within
15 a plurality of sides of said frame border; and wherein

16 said first and second program instructions are recorded
on said medium.

LOT920010026US1

12

S/N 10/045,918